


# Wilkinsonville Water Distri

This is Wilkinsonville Water District's annual report to you on water quality. The statistics in this report are based on testing done throughout 2020 and prior years. We hope you will find it helpful to know the sources of your water and the process by which safe drinking water is delivered to your home.

#### Where Does My Water Come From?

Wilkinsonville receives its water from three wells. The first well is

located at the end of Hatchery Road near Worcester Sand & Gravel. The other two wells are at Woodbury Pond. The well areas are reasonably removed from pollution risks and consist of gravel banks and a series of small streams. The Hatchery Road well, water pump, are located within a



secured well house. The pump house and two wells at Woodbury Pond are also located in a secured area.

We remain interconnected with the Grafton Water District, located on Follette St., so that additional water can be purchased if necessary.

#### Maintaining Water Quality

Wilkinsonville Water District continuously strives to produce the highest quality water possible to meet or surpass every water quality standard. We monitor both our source and distribution system very closely. The standards we operate under were enacted by the U.S. Congress as the Safe Drinking Water Act in 1974 and were amended in 1986 and 1996.

In order to ensure tap water is safe to drink, the Environmental Protection Agency (EPA) and Massachusetts DEP prescribe regulations, which limit the amount of certain contaminants in water provided by public water systems. The Food and Drug Administration (FDA) and the Massachusetts Department of Public Health (DPH) regulations establish limits for contaminants

#### SHOULD SOME PEOPLE TAKE **SPECIAL PRECAUTIONS?**

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons, such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (800) 426-4791.

#### SWAP (Source Water Assessment and Protection)

The Department of Environmental Protection (DEP) has prepared a Source Water Assessment Program (SWAP) Report for the Hatchery Rd. Well. The report assesses the susceptibility of public water supplies to contamination and makes recommendations.

This report is available at the Wilkinsonville Water District office, 13A Providence Rd. in Sutton, MA, at the local Board of Health (508) 865-8724, and also at the DEP website: www.state.ma.us/dep/brp/dw.

If you have any questions, please contact Shelley Gorman at (508) 865-0060.

A susceptibility ranking of <u>high</u> was assigned to this system using the information collected during the assessment by the DEP. However, this ranking was based on information that placed the Hatchery Rd. well and its 400 ft. radius (Zone 1) in a location considered inaccurate and in jeopardy of contamination from power line and sand and gravel removal activity. The report is currently under review by the DEP.

Wilkinsonville Water District is addressing the concerns as stated in the SWAP Report and welcomes your input to our planning. If you have any questions, please contact us at (508) 865-0060.

#### Is My Water Treated?

Wilkinsonville's water is treated with potassium hydroxide to increase the pH of the water which reduces corrosion of household plumbing and fixtures. The flow of the potassium hydroxide is controlled and measured by stateof-the-art equipment. This equipment is inspected on a daily basis.

## Wilkinsonville Water District

The Wilkinsonville Water District is operated and managed by WhiteWater, Inc. If you have any questions about this report, please contact:

Shelley Gorman, Clerk at (508) 865-0060 or email: wilkswater@verizon.net website: www.wilkswater.org

Additional copies of this report are available upon request.



### Distribution System Characteristics of Wilkinsonville Water System

This report summarizes only those items detected during sampling - not all contaminants that are monitored.

Microbial Results	Highest # Positive in a Month	Total # Positive	MCL	MCLG	Violation	Possible Source of Contamination	
Total Coliform	0	0	1	0	No	Naturally present in the environment	
Fecal Coliform-E.coli	-	0	*	0	No	Human and animal fecal waste	

<sup>\*</sup>Compliance with the Fecal Coliform/E.Coli MCL is determined upon additional testing.

**Total Coliform:** Coliforms are bacteria that are naturally present in the environment and are used as an indicator that other potentially harmful bacteria may be present. Your water source is tested monthly and has been found to be free of these contaminants.

may be present. I	may be present. Tour water source is tested monthly and has been found to be tree of these contaminants.															
Lead & Copper	Paro(s) Percer		entile	Actio	TVI C	LG	# of Sites		A	# of Sites Above V Action Level		olation	Possible Source of Contamination			
Lead (ppb)	9/23/20		0.00		15	(	)				_		No	Corrosion of household plumbing systems		
Copper (ppm)			0.	.95	1.3	1	.3	1:	2		0		No	Corrosion of household plumbing systems		
			Highes Detec Value	t l 🎧 🔭	Range etected	ı	MCL	MCL	G	Violation		Possible Source of Contamination				
Inorganic Co	ontam	inan	ts													
Barium (ppm)		5/1	/18	0.040	0.0	31 - 0.04	0	2	2		No	]	Discharge eries; erc	ischarge of drilling wastes; discharge from metal refinries; erosion of natural deposits.		
Chromium (ppm)		4/7	/15	0.0013	ND	ND - 0.0013		100	100	00 No		]	Discharge	Discharge from pulp mills; erosion of natural deposits		
Nitrate (ppm)		5/19	9/20	1.22	0.7	758 - 1.2	2	10	10		No	]	Runoff fro sewage; (	ff from fertilizer use; leaching from septic tanks; ge; erosion of natural deposits		
Perchlorate (ppb)		8/21	1/20	0.12	0.0	08 - 0.12	1	2 N/F			No		Rocket pr agents.	ocket propellants, fireworks, munitions, flares, blasting gents.		
Sodium (ppm) 5/1/18		5.1	1	1.0 - 5.1		20	20 20		No		Natural sources, road salt.					
Nickel (ppb) 4/7/15		0.0031	ND	0.003	1	N/A	N/A N/A		No		Discharge from industrial process.					
Radioactive Contaminants							'									
Gross Alpha (pCi/L) (minus uranium) 2016		16	0.357		N/A		15	0		No	Erosion o		f natural deposits			
Radium 226+228 6/25/19		5/19	0.94 pCi	/L	N/A		pCi/L	pCi/L 0 pCi/L		No E		Erosion o	f natural deposits			
Disinfection By-Products																
Chlorine (ppm) *(Highest Quarterly 2020 Running Average)		0.61	0.4	0.43 - 0.72		4	4		No		Water additive used to control microbes					
Total Trihalometha (TTHMS) (ppb)	nes	20	20	14		14		80 -		No		]	By product of drinking water chlorination			
Haloacetic Acid (HAA	(aloacetic Acid (HAA5s) (ppb) 2020		6.6		6.6		60 -		No		]	By product of drinking water chlorination				
Unregulated Contaminants					ate(s) llecte	-(-)		t Detected Range		SI	SMCL		ORSG	Possible Source of Contamination		
Iron (ppb)			/25/19			ND		300			057 - 0.18	Naturally occuring corrosion of cast iron pipes.				
Manganese (ppb)			/25/19			ND		50		0.01	12 - 0.004					
Chloroform (ppb)			5/19/20		]	ND		-			-	By product of drinking water chlorination.				
Bromodichloromethane			/19/20			ND		-			-	By product of drinking water chlorination.				
Bromoform			/19/20			ND		-			<ul> <li>By product of drinking water chlorinat</li> </ul>					
Dibromochlomethane		5,	/19/20	19/20		ND		-			- By product of drinking water chlorination					

#### **Key to Tables**

- ppm Parts per million, corresponds to one penny in \$10,000
- ppb Parts per billion, corresponds to one penny in \$10,000,000
- pCi/L Picocuries per liter
- ND Non-detect
- n/a non applicable

#### **TESTING FOR LEAD**

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. **Wilkinsonville Water District** is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <a href="http://www.epa.gov/safewater/lead">http://www.epa.gov/safewater/lead</a>.

#### An Equal Opportunity Employer

Wilkinsonville Water District is an equal opportunity provider. In accordance with federal law and US Department of Agriculture policy, this institution is prohibited from discriminating on the basis of race, color, national origin, sex, religion, age, disability, marital or familial status. To file a complaint of discrimination write USDA, Director, Office of Civil Rights, Room 326W, Whitten Building, 1400 Independence Avenue SW, Washington, DC 20250-9410 or call (202)720-5964 (voice of TDD). Hearing Impaired Persons Call: Mass Relay Systems, TTY (800) 439-2370, Voice (800) 439-0183

By-product of drinking water disinfection.

By-product of drinking water chlorination.

#### **SOME TERMS DEFINED**

Action Level: The concentration of a contaminant which, if exceeded, triggers a treatment or other requirement which a water system must follow.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLG's allow for a margin of safety.



It's Their Legacy

Chlorate (ppb)

Bromochloroacetic acid

Dibromoacetic acid

Dichloroacetic acid

Trichloroacetic acid

Monochloroacetic acid

Bromodichloroacetic acid

Chlorodibromoacetic acid

Bromide

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. MCL's are set as close to the MCLG's as feasible using the best available treatment technology.

Secondary Maximum Contaminant Level (SMCL): These standards are developed to protect the aesthetic qualities of drinking water and are not health based.

Massachusetts Office of Research and Standards Guideline (ORSG): This is the concentration of a chemical in drinking water, at or below which, adverse, non-cancer health effects are likely to occur after chronic (lifetime) exposure. If exceeded, it serves as an indicator of the potential need for further action.

Total Coliform: A bacteria that indicates other potentially harmful bacteria may be present.

#### Summary of Finished Water Characteristics of the Town of Grafton Water District

Because we have a contract with Grafton Water District (PWS #2110000) to purchase water should it become necessary, the following table describes the detections of substances in the Grafton Water District water supply as reported to us by the Grafton Water District. The statistics distributed in the Grafton Water District's Annual Quality Report for 2020 are shown here and based on testing done throughout 2020 and prior years. The Grafton Water District's Water Quality Report can be found online at www.graftonwaterdistrict.org Where the District's Water Comes From— The District obtains its water from four gravel packed ground water wells. These wells are located at the following locations: 100 Worcester Street, 211000-02G; 28 East Street which has two wells, East Street #2 and East Street #3, 211000-03G, 211000-04G; and Follette Street on Town owned property leased by the District, 211000-05G. If you would like to know more about the Grafton Water District please contact Matthew Pearson at 508-839-2302 during the hours of 8 a.m. and 4 p.m., Monday through Friday.

SWAP (Source Water Assessment Program)-The DEP has determined that Grafton's water sources have a high threat level due to the presence of at least one high-threat land use in our Zone II area of our water supply wells. You can obtain a copy of the SWAP report at the Grafton Water District office or on the web at www.state.ma.us/dep/brp/dw. report at the Grafton Water District office or on the web at www.state.ma.us/dep/brp/dw.

Microbial Results	Highest # Positive in a Month	Total # Positive	MCL	MCLG	Violation	Possible Source of Contamination
Total Coliform	0	0	1	0	No	Naturally present in the environment
Fecal Coliform-E.coli	0	0	*	0	No	Human and animal fecal waste

\*Compliance with the Fecal Coliform/E.Coli MCL is determined upon additional testing.

2015

2020

2020

2020

2020

2020

2020

2020

2020

29

0 - 73.2

0 - 3.87

0 - 8.89

0 - 3.96

0 - 2.37

0 - 8.9

0 - 9.8

0 - 2.82

Total Coliform: Coliforms are bacteria that are naturally present in the environment and are used as an indicator that other potentially harmful bacteria may be present. Your water source is tested monthly and has been found to be free of these contaminants.

may be present. I our water source is tested monthly and has been found to be free of these contaminants.												
Lead and Copper	Date(s) Collected		90th Percent	90th Percentile		М	MCLG		# of sites sampled	# of sites above AL	Exceeds A-? (Y/N)	
Lead (ppb) 2019			0.007		15		0		33 1 No		No	
Possible sour	nousehold p	olumbin	g systems	; erosior	n of natural deposits							
Copper (ppm) 2019			0.564	0.564			1.3		33 0 No			
Inorganic Date(s) Contaminants Collected			Highest Level Detected	Rang Detect		MCLG	Violatio	on	Р	ossible Source of Con	tamination	
Asbestos 7/9/20			0	0	7	7	No			rosion of natural deposits decay from asbestos pipes		
Nitrate (ppm)		2020	1.48	0 - 1.4	-	10	No		Runoff from fertilizer use; leaching from septic tanks; erosion of natural dep			
Sulfate		2016	12	0 - 12		250	No		Natural sources			
Sodium		2019	50.1	0 - 50.		20	No		Natural sources, road salt  Discharge of drilling wastes; discharge from metal refineries; erosion			
Barium 8/23/19			0.27	0 - 0.2	_	2	No		of natural deposit	natural deposits		
Arsenic 4/23/18			0.0078	0.007		0.010	No		Natural sources			
Perchlorate (ppb) 7/24/20			N/A	0.08	0	0	No		Rocket propellants, fireworks, munitions, flares, blasting agent.			
Disinfection (												
Haloacetic (HAA5) (ppb) 2020			26.4	0 - 26.		-	No		By-product of dri	y-product of drinking water chlorination		
Total Trihalomethanes (TT	7 (11 7)	2020	59.3	59.3 17.1 - 59.3		3 80 -			By-product of drinking water chlorination			
Radioactive C	Contami	nants										
Gross Alpha Activity 2019			3.2 pCi/L	N/A 15 pCi/L		0 pCi/L	No		Erosion of natural deposits			
Radium 226 & 228		2019	0.2 pCi/L	N/A	5 pCi/L	0 pCi/L	No		Erosion of natural deposits			
Unregulated Contaminants			Date Collec		mount Detected or Range		SMCL		ORSG	Possible Source	of Contamination	
Chloroform (ppb)			202	2020		.6	-		-	By-product of drinking	g water chlorination.	
Bromodichloromethane			202	2020		.6	-		-	By-product of drinking	y water chlorination.	
Bromoform			202	2020		6	-		-	By-product of drinking	y water chlorination.	
Dibromochlomethane				2020		.2	-		-	By-product of drinking	g water chlorination.	
Substance (Units)				Date(s) An		etected ige	SMCL		ORSG	/ <b>-</b>	of Contamination	
1.4-Dioxane (ppb)			202		0		-		-	Chemical solvent, lab reagent, s in cosmetics, detergents, & shar	abilizer, adhesive, may be found poo.	

This report is a snapshot of the quality of the drinking water that we provided last year. The statistics in this report are based on testing done throughout 2019 and prior years. We hope you will find it helpful to know the sources of your water and the process by which safe drinking water is delivered to your home.

#### SOURCE WATER CHARACTERISTICS

The sources of drinking water in the United States (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals, and in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production. These contaminants can also come from gasoline storage, urban storm water runoff, and septic systems.
- Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

#### Community Participation

As a Wilkinsonville Water District consumer, you are invited to participate in our monthly meetings to voice your concerns and comments about your drinking water. We meet on the fourth Tuesday of every month at 7:00 PM at the Wilkinsonville Water District Office located at 13A Providence Rd., Sutton, MA.

#### **FOR YOUR INFORMATION**

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Where to go for more information ....

Massachusetts Department of Environmental Protection (DEP) 617-292-5885.

http://www.mass.gov/eea/agencies/massdep

Massachusetts Drinking Water Education Partnership http://www.mass.gov/eea/agencies/massdep/water/drinking

Cross Connection Control and Backflow Protection

A cross connection is a connection between a drinking water pipe and a polluted source. When the water system has a pressure drop, usually due to a leak in the system, water can sometimes siphon back into the system. An example is when homeowners

attachments. These devices provide an avenue for the pollutant to siphon backwards into the home or the water system. Wilkinsonville Water District recommends that you install a backflow prevention device such as a hose bib vacuum breaker on all outside faucets. They can be obtained at your



Typical HBVB

local plumbing or hardware store and are easy to attach. This is a great way for you to protect your home as well as the water system.